





JUNG-PUMPEN.COM



SIMER 6 SIMER 6S



PUMPING DOWN TO THE FINAL DROP

With the new <u>Simer 6 and Simer 6S</u> utility pumps, you have the right tool at hand to remove almost every last drop of water.

- Wersatile application options for removing water from
- flat roofs
- pools
- terraces
- tennis courts
- building pits
- cellars.
- The **Simer 6S** provides extra convenience. Thanks to the integrated **electronic water level sensor**, the pump switches on automatically from a water level of just 5 mm.
- **|| Flat suction down to 2 mm** residual water level.
- Starting to pump at a water level of just 5 mm.
- **Sustainable:** All relevant components are available as spare parts.

- The swing-type check valve and a stepped hose connector are included in the scope of delivery.
- The hose can be easily detached from the pump using a 11/4" quick coupling (accessory).
- **Synthetic lay-flat hose,** 15 m (accessory).

- Innovative level control (6S)
-) 30 % higher flow rate than Simer 5
- Easy cleaning due to removable strainer foot
- Motor jacket cooling enables submerged operation
-) Robust aluminium housing
- Replaceable cable inlet
-) Made in Italy





THE TECHNICAL DATA

Hmax: 6.5 m Qmax: 6 m³/h

Voltage: 1/N/PE~230 V Motor rating P1: 240 W

Power line: 10 m (exchangeable)

with plug

S1 operation: 50 $^{\circ}\text{C}$ submerged

Type of enclosure: IP68 Shaft: stainless steel Bearing: mechanical seal


Submersible

Hose connector: 1/2", 3/4", 1"

(13/19/25 mm)

Weight approx. 5.0 kg / 5.2 kg

Material No.:



THIS IS NEW



Simer 6S version - with level control for automatic switching on and off



Simple change between manual and automatic operation by switch



Easy loosening of the strainer foot


VERSATILE APPLICATION




Always at hand in case of flooding in the cellar









PENTAIR